

Appendix B3
Approved Products List
Effective July 1, 2025

"Inclusion on the approved products list indicates technical suitability for use in City of Norfolk utilities construction and repair. Additional documentation from the manufacturer will be required to certify an American Iron and Steel product in accordance with the Consolidated Appropriations Act of 2014, § 436, Pub. L. No. 113-76 (2014)."

American Iron & Steel (AIS)

| Use | Application |
|-----|--------------------------------|
| RW | Raw Water Transmission |
| W | Drinking Water Systems |
| S | Waste Water Collection Systems |
| PS | Waste Water Pump Stations |
| FM | Waste Water Force Mains |

| RW | Raw Water Transmission | | | AIS (v) |
|-----|------------------------|---------|--------------|------------|
| Use | Type | Product | Manufacturer | |
| | | | | |

| W | Drinking Water Systems | | | | AIS (v) |
|-----|------------------------|---|--|--|------------|
| Use | Type | Product | Manufacturer | | |
| W | PIPE | Ductile Iron Pipe - Flexible Joint Class 52 and Class 56 | American Cast Iron Pipe Company | | |
| W | PIPE | Ductile Iron Class 52 Pipe and Class 56 | American Cast Iron Pipe Company | | |
| W | PIPE | Atlantic States Ductile Iron Class 52 Pipe and Class 56 | Atlantic States- (McWayne Ductile) | | |
| W | PIPE | Bristolpipe C-900 PVC Pipe | Bristol Pipe (North American Pipe Corporation) | | |
| W | PIPE | Ductile Iron Class 52 Pipe | Clow Water Systems Company (McWane) | | |
| W | PIPE | C-900 PVC Pipe DR18, Class 150 | Diamond Plastics Corp. | | |
| W | PIPE | Griffin Pipe Products Co.-D.I. Tyton Joint, Class 52 Pipe | Griffin Pipe Products Company (U.S. Pipe) | | |
| W | PIPE | Ductile Iron (DI) Pipe, Class 52 | McWane Ductile | | |
| W | PIPE | Dura-Blue C-900 PVC Pipe | National Pipe & Plastics, Inc. | | |
| W | PIPE | C-900 PVC Pipe | West Lake Pipe | | |
| W | PIPE | DIMJ Class 52 Pipe and Class 56 | US Pipe | | |
| W | PIPE | Tyton Joint DI Class 52 Pipe and Class 56 | US Pipe | | |
| W | PIPE | Secureseal PVC Pipe | Vulcan Plastics | | |
| W | VALVES | American Flow Control - Resilient Wedge Valve | American Cast Iron Pipe Company | | |
| W | VALVES | Gate Valve | Clow Valve Company / McWane | | |
| W | VALVES | KS-FW MJ Valve | Kennedy / McWane | | |
| W | VALVES | Kenseal II Resilient Wedge Gate Valve | Kennedy / McWane | | |
| W | VALVES | Kenseal II Resilient Wedge Tapping Valve | Kennedy- | | |
| W | VALVES | Style 1450 Butterfly Valve | M & H Valve Company / McWane | | |
| W | VALVES | Style 4500 Butterfly Valve | M & H Valve Company / McWane | | |
| W | VALVES | MATCO Norea 516 Brass Gate Valve | MATCO-NORCA | | |
| W | VALVES | A-2360 Resilient Wedge Gate Valves with M.J. x M.J. Ends | Mueller Company | | |
| W | VALVES | A-2361 Resilient Wedge Gate Valve | Mueller Company | | |
| W | VALVES | Line Seal Butterfly Valve | Mueller Company | | |
| W | VALVES | T-2360 Resilient Wedge Tapping Valve – M.J. x FL. Ends | Mueller Company | | |
| W | VALVES | PFT 300 Gate Valve | Proflo | | |
| W | VALVES | Metroseal Resilient Seated Gate Valve 18" – 36" | US Pipe | | |
| W | VALVES | Val – Matic Butterfly Valves, Open Right for Water | Val-Matic | | |
| W | INSERT VALVES | AVT EZ Valve 4" to 14" | Advanced Valve Technologies | | |
| W | INSERT VALVES | AVT EZ Valve 16" to 24" (w/ Horizontal Actuator) | Advanced Valve Technologies | | |
| W | INSERT VALVES | Hydra-Stop Inserta Valves (4" to 24") | Hydra-Stop Insertion Valves | | |
| W | TAPPING SLEEVE | American Flow Control - Tapping Sleeves (2800C) | American Cast Iron Pipe Company | | |
| W | TAPPING SLEEVE | American Flow Control - Tapping Sleeves (2500) | American Cast Iron Pipe Company | | |
| W | TAPPING SLEEVE | Tapping Sleeves - 412 | JCM Industries | | |
| W | TAPPING SLEEVE | All Stainless Steel Tapping Sleeve - 432 | JCM Industries | | |
| W | TAPPING SLEEVE | Mechanical Joint Tapping Sleeve for C.I., D.I. and PVC | Mueller Company | | |
| W | TAPPING SLEEVE | Smith-Blair model 663 style tapping sleeve | Smith-Blair | | |
| W | TAPPING SLEEVE | Triple Tap Tapping Sleeves, Wide Range, 4" – 12" | TPS (Total Piping Solutions, Inc.) | | |
| W | TAPPING SLEEVE | Tyler Union D.I.M.J. Tapping Sleeves | Tyler Union | | |
| W | FITTINGS | Ductile Iron Pressure Class 350 Compact Fittings | American Cast Iron Pipe Company | | |
| W | FITTINGS | Mechanical Joint Compact Fittings – Pressure Class 350 | Sigma Corporation | | |
| W | FITTINGS | Compact M.J. Fittings (including Series 3000 & 3100 Restraints) | Star Pipe Products | | |
| W | FITTINGS | D.I.M.J. SSB Fittings | Tyler Union | | |
| W | FITTINGS | M.J. SSB Ductile Iron Class 350 Fittings | Tyler Union | | |
| W | FITTINGS | TrimTye D.I.M.J. Fittings | US Pipe | | |

Appendix B3
Approved Products List
Effective July 1, 2025

| | | | | | |
|---|---|-----------------|--|---|--|
| ø | W | FRAME AND COVER | Air Vent and Blow-Off Frame and Cover, Class 35B | Capitol Foundry of VA | |
| ø | W | METER VAULT | 1-1/2-inch to 2-inch Meter Vault (26" X 38") (30K lbs Min Load Rating) | Trumbull | |
| ø | W | METER BOX | MBX-1 / MBX-2 Cast Iron Meter Box (20K lbs Min Load Rating) MBX- 3199 | Capitol Foundry of VA | |
| ø | W | METER BOX | MBX-1 / MBX-2 Cast Iron Meter Box (20K lbs Min Load Rating) MBX-1 | Trumbull | |
| ø | W | METER BOX | MBX-1 / MBX-2 Cast Iron Meter Box (20K lbs Min Load Rating) GREMBX-1 and 2 | Bingham and Taylor | |
| ø | W | METER BOX COVER | Composite Meter Box Cover (20K lbs Min Load Rating) MBX-1 Lid / Cover | Nicor | |
| ø | W | METER BOX COVER | Composite Meter Box Cover (20K lbs Min Load Rating) MBX-1 Lid / Cover | Trumbull | |
| ø | W | METER BOX COVER | Composite Meter Box Cover (20K lbs Min Load Rating) | Bingham and Taylor | |
| ø | W | BOXES | Large Valve Box, Class-35B | Capitol Foundry of VA | |
| ø | W | BOXES | Small Valve Box, Class-35B | Capitol Foundry of VA | |
| ø | W | BOXES | Oval Meter Box & Lid, Class-35B | Capitol Foundry of VA | |
| ø | W | BOXES | 8" Valve Box frame and Cover | Tricast, Inc. | |
| ø | W | BOXES | 6" Valve Box Frame and Cover | Tricast, Inc. | |
| ø | W | BOXES | Oval Meter Box frame and Cover--water | Tricast, Inc. | |
| ø | W | HYDRANT | American Flow Control - Fire Hydrant | American Cast Iron Pipe Company | |
| ø | W | HYDRANT | Medallion Fire Hydrant | Glow Valve Company | |
| ø | W | HYDRANT | Guardian Fire Hydrant K81D | Kennedy | |
| ø | W | HYDRANT | Mueller Super Centurion 250 Fire Hydrant | Mueller Company | |
| ø | W | HYDRANT | Mueller Super Centurion 250/HS "High Security" Fire Hydrant | Mueller Company | |
| ø | W | HYDRANT | Sentinel 250 HS Fire Hydrant w/ High Security Shoe | US Pipe | |
| ø | W | RESTRAINT | American Fast – Grip Gasket, 4" – 30", by American Ductile Iron | American Cast Iron Pipe Company | |
| ø | W | RESTRAINT | 1600 Restraint Harness for PVC pipe bells | EBAA Iron, Inc. | |
| ø | W | RESTRAINT | Joint Restraint for PVC Pipe | EBAA Iron, Inc. | |
| ø | W | RESTRAINT | M.J. Restraint for D.I. Pipe | EBAA Iron, Inc. | |
| ø | W | RESTRAINT | Ford Uni-Flange Retainer (UFR 1400-D-x style) for Ductile Iron Pipe | Ford Meter Box Company, Inc. | |
| ø | W | RESTRAINT | Ford Uni-Flange Retainer (UFR 1500-C-x style) for C-900 PVC Pipe | Ford Meter Box Company, Inc. | |
| ø | W | RESTRAINT | Uni-Flange Series 1400 Wedge Action Retainer Gland | Ford Meter Box Company, Inc. | |
| ø | W | RESTRAINT | One Loc Contoured-lug Restraint – D.I. pipe | Sigma Corporation | |
| ø | W | RESTRAINT | One Loc Contoured-lug Restraint – PVC pipe | Sigma Corporation | |
| ø | W | RESTRAINT | PVP Pipe Bell & Spigot Joint Restraint | Sigma Corporation | |
| ø | W | RESTRAINT | OneLok Pipe Restraint | Sigma Corporation | |
| ø | W | RESTRAINT | Stargrip Series 4000 and 4100 Restraints | Star Pipe Products | |
| ø | W | RESTRAINT | Field Lok 350 Gaskets | US Pipe | |
| ø | W | RESTRAINT | TR Flex Gripper Rings | US Pipe | |
| ø | W | CORP STOP | McDonald MFG 3148B Ball Corporation Stop | A.Y. McDonald Mfg. Co. | |
| ø | W | CORP STOP | McDonald MFG 4701B-22 Ball Corporation Stop | A.Y. McDonald Mfg. Co. | |
| ø | W | CORP STOP | Ballcorp Corporation Stop | Ford Meter Box Company, Inc. | |
| ø | W | CORP STOP | Corporation Stop F1000 | Ford Meter Box Company, Inc. | |
| ø | W | CORP STOP | Ford Corporation Stop – FB1000 | Ford Meter Box Company, Inc. | |
| ø | W | CORP STOP | Ford Corporation Stop FB1000 Ballcorp Taper & thread | Ford Meter Box Company, Inc. | |
| ø | W | CORP STOP | B-25008 Corporation Stop | Mueller Company | |
| ø | W | CORP STOP | H-10046 Corporation Stop | Mueller Company- | |
| ø | W | CORP STOP | H-15008 Corporation Stop | Mueller Company- | |
| ø | W | TUBING | Type K copper | Cambridge-Lee Industries | |
| ø | W | TUBING | Type K Copper Tubing | Cerro Flow Products, LLC | |
| ø | W | TUBING | Streamline Type K copper | Mueller Industries | |
| ø | W | ANGLE VALVE | McDonald Meter Valve 6100 Series | A.Y. McDonald Mfg. Co. | |
| ø | W | ANGLE VALVE | McDonald MFG Angle Valve Plug Ball Style 100 PSI 4602-B22 | A.Y. McDonald Mfg. Co. | |
| ø | W | ANGLE VALVE | Angle Ball Meter Valve BA43-xxx-W | Ford Meter Box Company, Inc. | |
| ø | W | ANGLE VALVE | Ford Angle Ball Meter Valve for copper | Ford Meter Box Company, Inc. | |
| ø | W | ANGLE VALVE | 110 Angle Meter Stops and Valves with Compression Connection | Mueller Company | |
| ø | W | BALL VALVE | 300 Ball Curb Valve | Mueller Company | |
| ø | W | BALL VALVE | 300 Ball Type Corporation Valve | Mueller Company | |
| ø | W | COUPLINGS | 110 Compression Connection H-15403 | Mueller Company | |
| ø | W | COUPLINGS | 110 Corporation Stops Compression Connection H-15008 for 3/4" and 1" Taps | Mueller Company | |
| ø | W | COUPLINGS | Service Fittings with Mueller 110 Compression Connection, H-15403 | Mueller Company | |
| ø | W | COUPLINGS | OMNI Coupling, Sleeve | OMNI | |
| ø | W | ACCESSORIES | Stainless Steel Casing Spacer | BWM Company | |
| ø | W | ACCESSORIES | Stainless Steel Casing Spacer | Cascade | |
| ø | W | ACCESSORIES | Griffin Pipe Products Co Talon RJ Gasket for DI Pipe | Griffin Pipe Products Company (U.S. Pipe) | |
| ø | W | ACCESSORIES | Coated Wide Body Service Saddle—(Single strap only)—405 | JCM Industries | |
| ø | W | ACCESSORIES | Xtra-Range Service Seal Pipe Repair Clamp | Mueller Company | |
| ø | W | ACCESSORIES | Xtra-Range Full Seal Pipe Repair Clamp | Mueller Company | |
| ø | W | ACCESSORIES | Mueller Single Section Service Seal Pipe Repair Clamp | Mueller Company | |
| ø | W | ACCESSORIES | Mueller 200 Series Pipe Saver Clamp | Mueller Company | |
| ø | W | ACCESSORIES | Mueller 200 Bell Joint Repair Clamp | Mueller Company | |
| ø | W | ACCESSORIES | Mueller Full-Seal Stainless Steel Repair Clamps | Mueller Company | |
| ø | W | ACCESSORIES | Service Saddle for PVC Pipe (Wide Body single strap only) | Mueller Company- | |
| ø | W | ACCESSORIES | Non-detectable Double-Tuff Marking Tape | Mutual Industries | |
| ø | W | ACCESSORIES | Non-detectable Underground Utility Marking Tape | Pro-Line Safety Products Co. | |

Appendix B3
Approved Products List
Effective July 1, 2025

| | | | | | |
|---|---|-------------|--|------------------|--|
| ø | W | ACCESSORIES | nylon coated saddle with stainless steel strap—(Single strap wide body only) | Romac Industries | |
| ø | W | ACCESSORIES | Service Saddles nylon coated, D.I. single strap stainless steel | Smith-Blair | |
| ø | W | ACCESSORIES | Southwire THHN for locating | Southwire | |

Appendix B3
Approved Products List
Effective July 1, 2025

| Waste Water Collection Systems | | | | |
|---------------------------------------|-----|---------------------|---|---|
| ø | W | ACCESSORIES | HYMAX 2 Products- Flip Gasket (14"- 24") | Hymax / Rockacy |
| ø | W | ACCESSORIES | HYMAX Clamp (1.5" - 26") | Hymax / Rockacy |
| ø | W | ACCESSORIES | HYMAX Grip Coupling (1.5" tp 16") | Hymax / Rockacy |
| | Use | Type | Product | Manufacturer |
| ø | S | PIPE | Ductile Iron Class 52 Pipe | American |
| ø | S | PIPE | Bristol Pipe C-900 PVC Pipe | Bristol Pipe (North American Pipe Corportion) |
| ø | S | PIPE | PVC SDR 35/26 Pipe | Diamond Plastics Corp. |
| ø | S | PIPE | PVC C-900 (DR14 & DR18) | Diamond Plastics Corp. |
| ø | S | PIPE | Ductile Iron (DI) Pipe, Class 52 | Griffin Pipe Products Company (U.S. Pipe) |
| ø | S | PIPE | Ductile Iron Class 52 Pipe | McWane (Clow) |
| ø | S | PIPE | Ductile Iron Class 52 Pipe | McWane Ductile |
| ø | S | PIPE | Ever-Green SDR 26 PVC Pipe | National Pipe & Plastics |
| ø | S | PIPE | C-900 PVC Pipe | North American Pipe Corp. |
| ø | S | PIPE | SDR 26 PVC Pipe | North American Pipe Corp. |
| ø | S | PIPE | PVC SDR 26 Pipe | Uni-Bell |
| ø | S | PIPE | Tyton Joint Ductile Iron Class 52 Pipe | US Pipe |
| ø | S | PIPE | Secureseal PVC Pipe | Vulcan Plastics |
| ø | S | PIPE LINERS | Cured-in-Place Pipelining | CIPP Corporation |
| ø | S | PIPE LINERS | Ultraliner PVC Alloy Pipeliner SDR-35 | Ultraliner, Inc. |
| ø | S | FITTINGS | Ductile Iron Pressure Class 350 Compact Fittings | American |
| ø | S | FITTINGS | PVC C-900 fittings | Harrington Corportion |
| ø | S | FITTINGS | PVC SDR 26 fittings | Harrington Corportion |
| ø | S | FITTINGS | Fittings (SDR 26 gasketed bell fitting) | Inserta Tee |
| ø | S | FITTINGS | C-900 injected molded fittings | Multi Fittings |
| ø | S | FITTINGS | PVC Trench Tough Heavy Wall SDR 26 Gasketed Sewer Fittings | Multi Fittings |
| ø | S | FITTINGS | Trench Tough Plus - Molded Gasketed Sewer Fittings SDR 26 | Multi Fittings |
| ø | S | FITTINGS | Compact MJ Fittings | Star Pipe |
| ø | S | FITTINGS | DIMJ SSB Fittings | Tyler Union |
| ø | S | FITTINGS | Maxi-Fit Couplings | Viking Johnson |
| ø | S | COUPLINGS/ ADAPTORS | HYMAX 2 Products- Flip Gasket (14"- 24") | Hymax / Rockacy |
| ø | S | COUPLINGS/ ADAPTORS | HYMAX Clamp (1.5" - 26") | Hymax / Rockacy |
| ø | S | COUPLINGS/ ADAPTORS | HYMAX Grip Coupling (1.5" tp 16") | Hymax / Rockacy |
| ø | S | MANHOLE | Pre-cast Sanitary Manholes w/ Steps, Flexible Pipe Connectors, Coatings, Frames, and Covers | Nansemond Pre-cast |
| ø | S | MANHOLE | Solid Cast Polymer Concrete Manhole | RockHardSCP |
| ø | S | MANHOLE STEPS | Manhole Step | American Step Company |
| ø | S | MANHOLE STEPS | Manhole Step | M.A. Industries |
| ø | S | MANHOLE SEALS | Cast-A-Seal Manhole & Tank Connectors 964 and 12-08 | Press-Seal Corporation |
| ø | S | FRAME AND COVER | Hampton Roads Mainline Cleanout Box & Lid | Capital Foundry |
| ø | S | FRAME AND COVER | Standard 24" Water Tight Manhole Frame & Cover - CON | Capital Foundry |
| ø | S | FRAME AND COVER | Standard 30" Manhole Frame & Cover - CON | Capital Foundry |
| ø | S | FRAME AND COVER | Threaded Cleanout | Capital Foundry |
| ø | S | FRAME AND COVER | 30" Sewer Manhole Frame & Cover | TriCast |
| ø | S | FRAME AND COVER | Mainline Cleanout Frame & Cover | TriCast |
| ø | S | BOXES | Large 8" Valve Box & Lid | Capital Foundry |
| ø | S | BOXES | Property Line Cleanout 814022 (AIS Certification, AIS waiver) | Capital Foundry |
| ø | S | VALVES | Flow Control Series 2500 Resilient Wedge Valves | American |
| ø | S | RESTRAINT | One-Lok pipe restraints | Sigma |
| ø | S | RESTRAINT | Stargrip Restraints - 3000 & 3100 series | Star Pipe |
| ø | S | RESTRAINT | Stargrip Restraints - 4000 & 4100 series | Star Pipe |
| ø | S | PIPE LININGS | Interior Pipe Coating for Ductile Iron Pipe (Protecto 401) | Induron Coatings, Inc. |
| ø | S | PIPE LININGS | Pipe Linings-(Sewercoat) | Kerneous |
| ø | S | PIPE LININGS | Lining for Ductile Iron Pipe and Fittings | Permox CTF |
| ø | S | LININGS | Elastaseal Sealing System for Manhole Rehabilitation | Dynesic Technologies |
| ø | S | LININGS | Manhole structural liner | Permacast |
| ø | S | LININGS | Poly-Triplex Liner System | Poly-Triplex Industries |
| ø | S | LININGS | Sewer Seal for Mnahole Rehabilitation | Sauereisen |
| ø | S | LININGS | Sikagard 62 epoxy coating | Sika Corporation |
| ø | S | LININGS | Stonechem 310 lining | Stonehard |
| ø | S | LININGS | Stonechem 510 lining | Stonehard |
| ø | S | LININGS | Strong Seal MS-2A liner | Strong Company |
| ø | S | LININGS | Strong Seal MS-2A HB liner | Strong Company |
| ø | S | SEALANTS | AV-100 Chemical Grout | Avanti International |
| ø | S | SEALANTS | Concrete Sealant Butyl Resin | ConSeal |
| ø | S | SEALANTS | High Performance Epoxy (301-14) | Warren Environmental |
| ø | S | SEALANTS | Strong Plug | Strong Company |
| ø | S | SEALANTS | Strong Seal Grout 250 | Strong Company |
| ø | S | SEALANTS | QSR (Quick Set Repair) for manholes/rehab | Strong Company |
| ø | S | ACCESSORIES | Stainless Steel Casing Spacer | BWM Company |

Appendix B3
Approved Products List
Effective July 1, 2025

| | | | | | |
|---|---|-------------|---|-------------------------------|--|
| ø | S | ACCESSORIES | Stainless Steel Casing Spacer | Cascade | |
| ø | S | ACCESSORIES | Original Gripper Plug | Cherne | |
| ø | S | ACCESSORIES | Couplings | Fernco | |
| ø | S | ACCESSORIES | Stainless Steel Shear Rings | Fernco | |
| ø | S | ACCESSORIES | Flexible Manhole Connector | IPS | |
| ø | S | ACCESSORIES | Boot-Type Manhole Connectors | Press-Seal Gasket Corporation | |
| ø | S | ACCESSORIES | PSX Positive Gasket System Manhole Connector | Press-Seal Gasket Corporation | |
| ø | S | ACCESSORIES | Type 4G & 4F Profile Gaskets | Press-Seal Gasket Corporation | |
| ø | S | ACCESSORIES | Non-detectable underground utility marking tape | Pro-Line Safety Products Co. | |
| ø | S | ACCESSORIES | THHN tracer wire | Southwire | |
| ø | S | ACCESSORIES | Kor-N-Seal - Flexible Pipe to Manhole Connector | Trelleborg | |
| ø | S | ACCESSORIES | HYMAX 2 Products- Flip Gasket (14"- 24") | Hymax / Rockacy | |
| ø | S | ACCESSORIES | HYMAX Clamp (1.5" - 26") | Hymax / Rockacy | |
| ø | S | ACCESSORIES | HYMAX Grip Coupling (1.5" tp 16") | Hymax / Rockacy | |

Appendix B3
Approved Products List
Effective July 1, 2025

| PS | Waste Water Pump Stations | | | |
|------|---------------------------|--|--|------------|
| Use | Type | Product | Manufacturer | AIS (√) |
| ø PS | COATINGS/ LININGS | Warren 301-14 - 100% Solids Epoxy System | Warren Environmental / East Coast Infrastructure | |
| ø PS | COATINGS/ LININGS | Wet well coating | Tnemec, T-Lok, approved equal | |
| ø PS | PUMPS | Wastewater Pumps w/ 1 additional spare pump and motor | Pentair (Fairbanks NIJHUIS) | |
| ø PS | VALVES | Gate Valve - Resilient Wedge Valve | American (Cast Iron Pipe Co.) | |
| ø PS | VALVES | Swing Check Valve | Mueller | |
| ø PS | VALVES | Swing Check Valve | Val Matic | |
| ø PS | ELECT. DEVICES | Generator Receptacle: 200 Amps, 4 Wire (Model#AR2041S22) | Eaton Crouse Hinds/Cooper Industries | |
| ø PS | ELECT. DEVICES | Generator Receptacle: 100 Amps, 4 Wire (Model#AR1041S22) | Eaton Crouse Hinds/Cooper Industries | |
| ø PS | ELECT. DEVICES | Generator Receptacle: 60 Amps, 4 Wire (Model#ARE6415S22) | Eaton Crouse Hinds/Cooper Industries | |
| ø PS | ELECT. DEVICES | Generator Receptacle: 30 Amps, 4 Wire (Model#ARE3413S22) | Eaton Crouse Hinds/Cooper Industries | |
| ø PS | ELECT. DEVICES | Enclosures - Cooling & Heating | Hoffman | |
| ø PS | ELECT. DEVICES | Relay switches and breakers - Square "D" | Schneider Electric | |
| ø PS | CONTROLS | Submersible Level Transmitter - Birdcage Series | Blue Ribbon Corporation | |
| ø PS | CONTROLS | Soft Starter | Danfoss | |
| ø PS | CONTROLS | Vairable Frequency Drive (VFD) | Danfoss | |
| ø PS | CONTROLS | Mercoïd Series MPC Pump Controller | Dwyer | |
| ø PS | CONTROLS | Mercoïd Submersible Level Transmittal Transducer | Dwyer | |
| ø PS | CONTROLS | PLC - Compact Field Point | National Instruments | |
| ø PS | FLOW METERS | Clamp on Ultrasonic Flow Meter - TTFM 6.1 | FloMec Inc | |
| ø PS | FLOW METERS | Clamp on Ultrasonic Flow Meter | Emerson / Clearwater | |
| ø PS | ACCESSORIES | Door Locks | Arrow | |

Appendix B3
Approved Products List
Effective July 1, 2025

| | FM | Waste Water Force Mains | | | |
|---|-----|-------------------------|---|---|---------|
| | Use | Type | Product | Manufacturer | AIS (√) |
| ø | FM | VALVES | Gate Valve, Resilient Wedge | American AVK | |
| ø | FM | VALVES | Gate Valve, Resilient Wedge | American Cast Iron Pipe Co. | |
| ø | FM | VALVES | Gate Valve, Resilient Wedge, AWWA C509 | Kennedy Valve Co. | |
| ø | FM | PIPE | Ductile Iron (DI) Pipe, Class 52 and Class 56 | American Cast Iron Pipe Co. | |
| ø | FM | PIPE | Ductile Iron Class 52 Pipe and Class 56 | Atlantice States (McWayne Ductile) | |
| ø | FM | PIPE | Polyvinyl Chloride (PVC) Pipe, C-900. DR18, Class 150 | Diamond Plastics Corp. | |
| ø | FM | PIPE | PVC Gasketed Joint Pipe, DR 18, Class 150, AWWA C-900 | Diamond Plastics Corp. | |
| ø | FM | PIPE | Ductile Iron (DI) Pipe, Class 52 | Griffin Pipe Products Company (U.S. Pipe) | |
| ø | FM | PIPE | Ductile Iron Class 52 Pipe and Class 56 | McWane | |
| ø | FM | PIPE | Ductile Iron (DI) Pipe, Class 52 | McWane Ductile | |
| ø | FM | PIPE | Polyvinyl Chloride (PVC) Pipe, C-900 | North American Pipe Corp. | |
| ø | FM | PIPE | Ductile Iron Mechanical Joint Class 52 Pipe and Class 56 | US Pipe | |
| ø | FM | PIPE | Tyton Joint Ductile Iron Class 52 Pipe and Class 56 | US Pipe | |
| ø | FM | PIPE LININGS | Lining, Ductile Iron Pipe and Fittings | Permox CTF | |
| ø | FM | PIPE LININGS | Interior Pipe Coating for Ductile Iron | Protecto 401 | |
| ø | FM | PIPE LININGS | Pipe Linings | Sewercoat Pipe Linings | |
| ø | FM | PIPE LININGS | Protecto 401 Interior Pipe Coating for DI pipe | US Pipe, Induron | |
| ø | FM | FITTINGS | Ductile Iron (DI) Fittings, Compact, Class 350 | American Cast Iron Pipe Co. | |
| ø | FM | FITTINGS | OMNI Coupling, Sleeve | OMNI | |
| ø | FM | FITTINGS | Sigma Ductile Iron Mechanical Joint Fittings Class 350 | Sigma Corporation | |
| ø | FM | FITTINGS | Compact Mechanical Joint Fittings | Star Pipe Products | |
| ø | FM | FITTINGS | Ductile Iron C110 Flanged Fittings | Tyler Union | |
| ø | FM | FITTINGS | Ductile Iron C110 Full Body Mech. Joint Fittings | Tyler Union | |
| ø | FM | FITTINGS | Mechanical Joint C153 Ductile Iron Compact Fittings | Tyler Union | |
| ø | FM | FITTINGS | Union-Tite Ductile Iron C153 Compact Fittings | Tyler Union | |
| ø | FM | FITTINGS | Trim Tyton Ductile Iron Fittings | US Pipe | |
| ø | FM | BOXES | Valve Box, Small | Capitol Foundry of Virginia | |
| ø | FM | TAPPING SLEEVE | Tapping Sleeve, Steel, Epoxy Coating | JCM Industries | |
| ø | FM | TAPPING SLEEVE | Tapping Materials and Specialty Valves (for CI, DI, PVC) | Mueller | |
| ø | FM | TAPPING SLEEVE | Extended Range Stainless Steel Tapping Sleeve | TPS | |
| ø | FM | RESTRAINT | Joint Restraint, PVC Pipe | EBAA Iron, Inc. | |
| ø | FM | RESTRAINT | Joint Restraint, DI Pipe, Mechanical Joint | EBAA Iron, Inc. | |
| ø | FM | RESTRAINT | Restraint PVC pipe bell and spigot joints series PVP (tie rods) | EBAA Iron, Inc. | |
| ø | FM | RESTRAINT | Series PVP Restraint for PVC Pipe Bell and Spigot Joints | EBAA Iron, Inc. | |
| ø | FM | RESTRAINT | Sigma One-Lok Pipe Restraints | Sigma Corporation | |
| ø | FM | RESTRAINT | Joint Restraint Products (StarGrip) | Star Pipe Products | |
| ø | FM | RESTRAINT | Joint Restraint Products (StarGrip) | Star Pipe Products | |
| ø | FM | RESTRAINT | Series 1400 Wedge Action Retainer Gland | Uni-Flange | |
| ø | FM | RESTRAINT | Field Lok 350 Gasket | US Pipe | |
| ø | FM | RESTRAINT | TR Flex Gripper Rings | US Pipe | |
| ø | FM | ACCESSORIES | Casing Spacer, Stainless Steel | BWM Co. | |
| ø | FM | ACCESSORIES | Casing Spacer, Stainless Steel | Cascade | |
| ø | FM | ACCESSORIES | Non-detectable underground utility marking tape | Pro-line Saftey Products, Inc. | |
| ø | FM | ACCESSORIES | Marking Tape, Non-detectable | Pro-Line Saftey Products, Inc. | |
| ø | FM | ACCESSORIES | THHN tracer wire | Southwire | |
| ø | FM | ACCESSORIES | HYMAX 2 Products- Flip Gasket (14"- 24") | Hymax / Rockacy | |
| ø | FM | ACCESSORIES | HYMAX Clamp (1.5" - 26") | Hymax / Rockacy | |
| ø | FM | ACCESSORIES | HYMAX Grip Coupling (1.5" tp 16") | Hymax / Rockacy | |