

TRENCH WIDTH INFORMATION		
PIPE DEPTH (FT)	TRENCH WIDTH "W" (FT)	*
SEWER LATERALS & WATER SERVICE LINES	2	**
0.00 – 3.99	4	**
4.00 – 5.99	5	**
6.00 – 11.99	8	**
> 12.00	10	**

NOTE:

1. VDOT NO. 57 STONE BEDDING AS SHOWN SHALL BE INCLUDED AS PART OF THE UNIT BID PRICE FOR GRAVITY PIPES.
2. VDOT NO. 57 STONE BEDDING AS SHOWN SHALL NOT BE INCLUDED AS PART OF THE UNIT BID PRICE FOR WATER PIPES.
3. ANY ADDITIONAL UNDERCUT AND BEDDING SHALL BE AT THE DIRECTION OF THE CITY ONLY.
4. VDOT NO. 57 STONE TICKETS SHALL NOT BE ACCEPTED BY THE CITY. THE ADDITIONAL NO. 57 STONE BEDDING/UNDERCUT AS DIRECTED BY THE CITY SHALL BE A CALCULATED QUANTITY ONLY, AND NOT BASED ON STONE TICKETS.
5. THE QUANTITY OF VDOT NO. 57 STONE BEDDING ACCEPTABLE FOR INSTALLATION SHALL NOT EXCEED THE FULL TRENCH WIDTH, AS IDENTIFIED IN THIS DETAIL, AS WELL AS THE TOTAL DEPTH AND LENGTH AGREED UPON WITH THE CITY.
6. NO PAYMENT SHALL OCCUR FOR NO. 57 STONE BEDDING NOT PROPERLY AUTHORIZED BY THE CITY IN ADVANCE.

\* 'W' DENOTES WIDTH FOR VDOT NO. 57 STONE INCLUDED IN COST AS WELL AS MAXIMUM TRENCH PAY WIDTH FOR 21A STONE AND ASPHALT

\*\* MATERIALS INSTALLED IN EXCESS OF THE AUTHORIZED TRENCH WIDTH SHALL NOT BE PAID WITHOUT WRITTEN CITY APPROVAL.



CITY OF NORFOLK – DEPARTMENT OF UTILITIES  
STANDARD DETAILS

SCALE:  
NOT TO SCALE

PIPE BEDDING NOTES

DRAWING NO.  
CWS 06